ARZ - Inflatable Rescue Tents
Sanitary Tents
Habitation Tents
Kitchen Tents
Party Tents
Tent Auditoriums
Travel Tents
Accessories

Tents
Catalogue TentTech





RESCATE TOTAL GSI

C/Gregorio Espino 60 Entlo. 36205 Vigo-Pontevedra 680 45 12 45 ventas@rescatetotal.es




Top quality since 1953.

www.rescatetotal.es

Sanitary and Habitation Tents SG 12 - SG 20

■ Tent SG 12

3.34 m x 4.08 m = 13.60 m²



Weight: 52 kg Volume: 0.19 m³

LANCO-heavy-duty fabric, off-white	1200
LANCO-heavy-duty fabric, olive	1201
LANCO-heavy-duty fabric, khaki	1202
Tent bag	1203
Bag for accessories	1204
Bag for frame	1205
Groundsheet (9 kg)	1206
Bag for groundsheet	1207
Inner cabin (13 kg) Bag for inner cabin	1207 1208 1209


Standard:

Tent with entrance in the front gable (toggle closing), window 60 x 40 cm with exterior shutter in back gable, aluminium frame and accessories.

Tent SG 20

■ Tent SG 18

4.34 m x 4.08 m = 17.70 m²




Weight: 63 kg Volume: 0.20 m³

Options:

Connecting unit, chimney passage, divisibilty with loop closing, canopy, partition walls, roll-up facility of one side or one panel as well as additional storm cords.

■ Tent SG 20



Weight: 71 kg Volume: 0.32 m³

I ANICO has a duty fabria off white	2000
LANCO-heavy-duty fabric, off-white	
LANCO-heavy-duty fabric, olive	2001
LANCO-heavy-duty fabric, khaki	2002
Tent bag	2003
Bag for accessories	2004
Bag for frame	2005
Groundsheet (15 kg)	2006
Bag for groundsheet	2007
Inner cabin (15 kg)	2008
Bag for inner cabin	2009


Window, tent skin	8000
Window, inner cabin	8001
Roll-up facility one panel	8050
Second entrance	8051



Sanitary and Habitation Tents SG 30 - SG 50

■ Tent SG 30

6.00 m x 5.64 m = 33.80 m²



Weight: 90 kg Volume: 0.35 m³


LANCO-heavy-duty fabric, off-white	3000
LANCO-heavy-duty fabric, olive	3001
LANCO-heavy-duty fabric, khaki	3002
Tent bag	3003
Bag for accessories	3004
Bag for frame	3005
Groundsheet (21 kg)	3006
Bag for groundsheet	3007
Inner cabin (19 kg)	3008
Bag for inner cabin	3009

Standard:

Tent with entrance in the front gable (toggle closing), window 60 x 40 cm with exterior shutter in back gable, aluminium frame and accessories.

Tent SG 30, options: 2 windows

■ Tent SG 40




Weight: 112 kg Volume: 0.51 m³

LANCO-heavy-duty fabric, off-white LANCO-heavy-duty fabric, olive LANCO-heavy-duty fabric, khaki	4000 4001 4002
Tent bag Bag for accessories	4002 4003 4004
Bag for frame (2 pcs.) Groundsheet (28 kg)	4005 4006
Bag for groundsheet Inner cabin (24 kg)	4007 4008
Bag for inner cabin	4009

Options:

Connecting unit, chimney passage, divisibilty with loop closing, canopy, partition walls, roll-up facility of one side or one panel as well as additional storm cords.

■ Tent SG 50



Weight: 131 kg Volume: 0.58 m³

LANCO-heavy-duty fabric, off-white	5000
LANCO-heavy-duty fabric, olive	5001
LANCO-heavy-duty fabric, khaki	5002
Tent bag	5003
Bag for accessories	5004
Bag for frame (2 pcs.)	5005
Groundsheet (36 kg)	5006
Bag for groundsheet	5007
Inner cabin (28 kg)	5008
Bag for inner cabin	5009


8000
8001
8050
8051



Sanitary and Habitation Tents SG 300 - SG 500

■ Tent SG 300

6.00 m x 5.90 m = 35.40 m²



Weight: 96 kg Volume: 0.37 m³


LANCO-heavy-duty fabric, off-white	3050
LANCO-heavy-duty fabric, olive	3051
LANCO-heavy-duty fabric, khaki	3052
Tent bag	3053
Bag for accessories	3054
Bag for frame	3055
Groundsheet (22 kg)	3056
Bag for groundsheet	3057
Inner cabin (23 kg)	3058
Bag for inner cabin	3059

Standard:

Tent with entrance in the front gable (toggle closing), window 60 x 40 cm with exterior shutter in back gable, aluminium frame and accessories, all tents have a wall height of 1.94 m.

Tent SG 400

8.00 m x 5.90 m = 47.20 m²



Weight: 116 kg Volume: 0.53 m³

LANCO-heavy-duty fabric, off-white	4050
LANCO-heavy-duty fabric, olive	4051
LANCO-heavy-duty fabric, khaki	4052
Tent bag	4053
Bag for accessories	4054
Bag for frame (2 pcs.)	4055
Groundsheet (30 kg)	4056
Bag for groundsheet	4057
Inner cabin (31 kg)	4058
Bag for inner cabin	4059

Day for fille


Options:

Connecting unit, chimney passage, divisibilty with loop closing, canopy, partition walls, roll-up facility of one side or one panel as well as additional storm cords.

Window, tent skin	8000
Window, inner cabin	8001
Roll-up facility one panel	8050
Second entrance	8051

10.00 m x 5.90 m = 59.00 m²

Tent SG 500



Weight: 136 kg	Volume: 0.60 m ³
welulit: 130 ku	volume: 0.00 m ⁻


LANCO-heavy-duty fabric, off-white	5050
LANCO-heavy-duty fabric, olive	5051
LANCO-heavy-duty fabric, khaki	5052
Tent bag	5053
Bag for accessories	5054
Bag for frame (2 pcs.)	5055
Groundsheet (38 kg)	5056
Bag for groundsheet	5057
Inner cabin (40 kg)	5058
Bag for inner cabin	5059



Multi Purpose Tents SG 301 - SG 501

Tent SG 301

6.00 m x 4.90 m = 29.40 m²




Weight: 91 kg Volume: 0.34 m³

LANCO-heavy-duty fabric, off-white 3111 Bag for frame 3114 Groundsheet 3115 Bag for groundsheet 3116

Tent SG 401

8.00 m x 4.90 m = 39.20 m²




Weight: 106 kg Volume: 0.49 m³

LANCO-heavy-duty fabric, off-white 3202 Bag for frame (2 pcs.) Groundsheet 3179 4006 Bag for groundsheet

Tent SG 501

 $10.00 \text{ m} \times 4.90 \text{ m} = 49.00 \text{ m}^2$



Weight: 121 kg Volume: 0.56 m³

LANCO-heavy-duty fabric, off-white 3201 Bag for frame (2 pcs.) Groundsheet 3178 Bag for groundsheet 5006

Standard:

Tent with aluminium frame (all poles with a length of 1.94 m) and accessories. Tent skin made of LANCO-heavy-duty fabric. Entrance in front and back gable, gables are detachable and divisible, walls can be rolled-up to the eaves, windows 60 x 40 cm incl. exterior shutter in each middle panel, tent bag and accessory bag, bag for the frame is optional.

Options:

Chimney passage, partition walls and aditional storm cords.

8000 Window






Double Fly Tents with Canopy of 2.00 m and Wall Height of 1.94 m

Tent 200 DV

7.00 m x 4.90 m = 34.30 m²



Weight: 110 kg Volume: 0.40 m³

Top Roof

LANCO-heavy-duty fabric, off-white 2100 LANCO-heavy-duty fabric, olive 2101 or khaki LANCO-heavy-duty fabric, blue or green 2102 Inner tent cabin made of cotton fabric 2103 Bag for top roof 2104 Bag for inner cabin Bag for accessories 2105 Bag for frame 2106


Standard:

Inner tent cabin made of 100% cotton fabric, entrance in front gable, window 60 x 40 cm in the back, top roof with canopy of 2.00 m and closed back gable incl. window 60 x 40 cm with exterior shutter.

Tent 200 DV, options: 4 windows

Tent 300 DV

8.00 m x 5.90 m = 47.20 m²



Weight: 135 kg Volumen: 0.56 m³

Top Roof

LANCO-heavy-duty fabric, off-white 3100
LANCO-heavy-duty fabric, olive or khaki 3101
LANCO-heavy-duty fabric, blue or green 3102
Inner tent cabin made of cotton fabric Bag for top roof 3103
Bag for inner cabin 3104
Bag for accessories 3105
Bag for frame (2 pcs.) 3106


(For options cf. page 8). Tent 200 DV and tent 300 DV can be equipped with sewedin groundsheet at the inner cabin as well as with mosquito nets at windows and entrance.



Double Fly Tents with Canopy 2.00 m and Wall Height of 1.35 m

Tent 404 DV

6.00 m x 4.55 m = 27.30 m²



Weight: 83 kg

Volume: 0.30 m³

Top Roof

LANCO-heavy-duty fabric, off-white 5200 LANCO-heavy-duty fabric, khaki 5201 LANCO-heavy-duty fabric, blue 5202 Inner tent cabin made of cotton fabric Bag for top roof 5203 Bag for inner cabin 5204 Bag for accessories 5205 Bag for frame 5206 Groundsheet 5207 Bag for groundsheet 5208


Standard:

Inner tent cabin made of 100% cotton fabric, entrance in front gable, window 60 x 40 cm in the back, top roof with canopy of 2.00 m with closed back gable incl. window 60 x 40 cm with exterior shutter.

Tent 404 DV

Tent 405 DV

 $7.00 \text{ m x } 4.55 \text{ m} = 31.85 \text{ m}^2$



Weight: 93 kg Volume: 0.32 m³

Top Roof

LANCO-heavy-duty fabric, off-white 5211 LANCO-heavy-duty fabric, khaki LANCO-heavy-duty fabric, blue 5213 Inner tent cabin made of cotton fabric Bag for top roof Bag for inner cabin 5215 Bag for accessories 5216 Bag for frame 5217 Groundsheet 5218 Bag for groundsheet 5219

Options are impossible due to the low wall height of 1.35 m.

Tent 505 DV

 $7.00 \text{ m x } 5.43 \text{ m} = 38.01 \text{ m}^2$



Weight: 111 kg

Volume: 0.34 m³

TOP KOOT		
LANCO-heavy-duty fabric, off-white	5222	
LANCO-heavy-duty fabric, khaki	5223	
LANCO-heavy-duty fabric, blue	5224	
Inner tent cabin made of cotton fabric		
Bag for top roof	5225	
Bag for inner cabin	5226	
Bag for accessories	5227	
Bag for frame (2 pcs.)	5228	
Groundsheet	5229	
Bag for groundsheet	5230	



Accommodation Tents with Wall Height of 1.15 m

Standard:

Tent with front entrance (toggle closing), window 60×40 cm with exterior shutter in back gable, aluminium frame and accessories.

Options:

Options are impossible due to the low wall height of 1.15 m.

Tent 404 G

4.00 m x 4.40 m = 17.60 m²


Weight: 56 kg Volume: 0.21 m³



■ Tent 405 G

 $5.00 \text{ m x } 4.40 \text{ m} = 22.00 \text{ m}^2$


 $\begin{array}{ll} \text{Weight:} & 59 \text{ kg} \\ \text{Volume:} & 0.30 \text{ m}^3 \end{array}$




Tent 505 G

 $5.00 \text{ m x } 5.28 \text{ m} = 26.40 \text{ m}^2$

 $\begin{array}{ll} \text{Weight:} & 76 \text{ kg} \\ \text{Volume:} & 0.33 \text{ m}^3 \end{array}$



216



LANCO-heavy-duty fabric, off-white	4113
Loop border	4114
Tent bag	4115
Bag for accessories	4116
Bag for frame	4117
Groundsheet (14 kg)	4118
Bag for groundsheet	4119

LANCO-heavy-duty fabric, off-white	5100
Loop border	5101
Tent bag	5102
Bag for accessories	5103
Bag for frame	5104
Groundsheet (16 kg)	5105
Bag for groundsheet	5106

LANCO-heavy-duty fabric, off-white	5113
Loop border	5114
Tent bag	5115
Bag for accessories	5116
Bag for frame	5117
Groundsheet (19 kg)	5118
Bag for groundsheet	5119



6.00 m x 5.28 m = 31.70 m²

 $\begin{array}{ll} \text{Weight:} & 86 \text{ kg} \\ \text{Volume:} & 0.35 \text{ m}^3 \end{array}$


Tent 404 G



Kitchen Tents Type 200 and Type 300

Kitchen Type 200


4.00 m x 4.74 m = 18.96 m²



Weight: 81 kg Volume: 0.33 m³

Kitchen Type 200	6500
Bag for roof and sides	6501
Bag for 2 gables	6502
Bag for accessories	6503
Bag for frame	6504

Kitchen Type 300



Weight: 121 kg Volume: 0.39 m³

Kitchen Type 300	6510
Bag for roof and sides	6511
Bag for 2 gables	6512
Bag for accessories	6513
Bag for frame	6514

Standard:

Roof, sides and gables are made of double-sided PVC-coated polyester fabric, white, flame-retardant according to DIN 4101 B1, gables detachable and divisible, walls can be rolled-up to the eaves, 4 windows with exterior shutters, roof ven-

tilation on both sides of the ridge, chimney passage (fire resistant) with exterior shutter, alu-

minium frame with accessories.






Party Tents PZ 300 - PZ 500

Party Tent PZ 300

6.00 m x 5.90 m = 35.40 m²




Weight: 136 kg Volume: 0.65 m³

PZ 300 walls white PZ 300 walls white/yellow PZ 300 walls white/blue Tent bag Bag for accessories Bag for frame	3094 3082 3083 3085 3054 3055
Bag for frame	3055

Party Tent PZ 400

8.00 m x 5.90 m = 47.20 m²




Volume: 0.74 m³ Weight: 150 kg

PZ 400 walls white	4043
PZ 400 walls white/yellow	4084
PZ 400 walls white/blue	4085
Tent bag	4089
Bag for accessories	4054
Bag for frame (2 pcs.)	4055

Party Tent PZ 500

10.00 m x 5.90 m = 59.00 m²



Weight: 164 kg

PZ 500 walls white	5090
PZ 500 walls white/yellow	5085
PZ 500 walls white/blue	5086
Tent bag	5093
Bag for accessories	5054
Bag for frame (2pcs.)	5055


Standard:

Frame made of anodised aluminium poles, 40 x 1.5 mm, material AL Mg 4.5 Mn. Connections and baseplates of aluminium, galvanised steel pegs and t-pegs for fixing frame to the ground.
Roof with sinuous edge made of double-sided PVC-coated polyester fabric, white.

Detachable sides, colours: white, striped outside:white/yellow or white/blue. Front and back gable detachable.

Options:


Divided window with Roman arch	3125
Divided window 100 x 100 cm	3126
Splitted wall	9920





Party Tents PZ 3000 - PZ 5000


Party Tent PZ 3000



Weight: 146 kg Volume: 0.56 m³

PZ 3000 complete,	
walls white	4628
PZ 3000 complete,	
walls white/yellow	4600
PZ 3000 complete,	
walls white/blue	4601
Bag for frame	4640


Party Tent PZ 4000



Weight: 166 kg Volume: 0.73 m³

PZ 4000 complete,	
walls white	4632
PZ 4000 complete,	
walls white/yellow	4612
PZ 4000 complete,	
walls white/blue	4613
Bag for frame (2 pcs.)	4641

Party Tent PZ 5000



Weight: 186 kg Volume: 0.89 m³

463
461
461
464

Standard:

Frame made of anodised aluminium poles, 40 x 1.5 mm, material AL Mg 4.5 Mn. Connections and baseplates made of hot-dip galvanised steel, galvanised steel pegs for fixing to the ground, wooden accessory box, bag for roof, gable and walls. 1 set of storm cords with pegs 50 cm long.

Roof with sinuous edge made of double-sided PVC-coated polyester fabric, white. Wall in parts and detachable, gable divided and removable, colours: white or striped outside: white/yellow or white/blue.

Options:

Divided window with Roman arch	3125
Divided window 100 x 100 cm	3126

Tent PZ 3000, options: divided windows 100 x 100 cm



Information on Aluminium Frames 40 x 1.5 mm

LANCO Standard Frame

The frame is made of longitudinal seam welded aluminium poles with a diameter of 40 mm, wall thickness of 1.5 mm of the material AL Mg 4,5 Mn.

Yield strength: $R_{p0,2} = 330-340 \text{ N/mm}^2$ Ultimate strength: $R_{m} = 350-370 \text{ N/mm}^2$

Connections and baseplates are made of highly resistant aluminium.

Note

All parts of the frame with the diameter 40×1.5 mm and 32.6×1.5 mm can be reordered seperately in case of damage or lost. This accounts also to tent skins and accessories.

Lables and emblems can be put on all

tents. Costs on request.

Options for all tent types except for tents with a wall height less than 1.61 m

Connecting unit, roll-up facility of one panel or one side, windows, chimney passage, divisibility with loop closing, canopies, partition walls, second entrance and storm cords.

All prices in our price list or on request.

Information on Frames of New and Old Dimension in Steel or Aluminium

Old dimensions are all poles with a diameter of 32.6mm.

Till the end of 1974 all frame tents had been equipped with poles made of steel 32.6mm x 1.2mm, till the end of 1978 with poles made of aluminium 32.6mm x 1.5mm.

Since 1979 all LANCO-tents are equipped with an aluminium frame 40 x 1.5mm (except LG 403, 32.6 x 1.5mm aluminium).

Of course it is possible to order all types of poles. Please, always give the correct diameter and type of poles or connections with your re-order.

Connections and Baseplates made of Plastic



Spare Parts for Standard Frame 40 x 1.5 mm

Roof, Ridge and Eaves Poles	
1610 mm	9012
1940 mm	9013
2170 mm	9033
2440 mm	9014
2790 mm	9045

Tent Props with Baseplate and Fla	ар
1160 mm	9015
1360 mm	9016
1610 mm	9017
1730 mm	9018
1810 mm	9032
1940 mm	9019

Connection	
3-arms	908
Connection	
4-arms	908
Connection	
(SG 18/SG 20 K), 3-arms long	921
Connection	
(SG 18/SG 20 K) 4-arms long	921

Storm Coras	
(4 Cords 8 mm, 3.00 m long incl. 4 s	steel
pegs à 300 mm)	9039
Storm Cords	
(4 Cords 8 mm, 3,00 m long incl.	
4 pegs à 500 mm)	9040

Peg, 20 mm diameter, hot-dip galvanisd iron with top forged on, 1300 g, 500 mm long 9043
Peg, 20 mm diameter, hot-dip galvanised iron with top forged on, 700 g, 300 mm long 90/4

T-peg, galvanised iron, 300 mm long 9045
Peg with hook, galvanised steel, 300 mm
long 9046
Peg lifter, galvanised 9047

Accessory Box 600 x 300 x 300 mm 9048 made of layered plywood, 18.5 mm thick, water proofed, glued and smoothed. Corners doweled, glued and screwed. Floor crimped, glued and fixed with screws. Distance bead on floor.

Picture left to right: Tent prop aluminium with plastic baseplate and flap, connection 4 -arms, connection 3-arms, both plastic, t-peg and iron peg, 700 g.

Fabric Specifications

LANCO-Heavy-Duty Fabric

LANCO tents are made of LANCOheavy-duty fabric and available in following colours: off-white, olive, khaki, green and blue.

LANCO-heavy-duty fabric is permeable to the air, rot-resistant, water pressure proof laminated and is extremely tearproof as well as highly protective against UV-rays.

Fabric

Twisted cotton-polyester 50%/50%

Yarn Count
50 tex x 2
Yarn Density [DIN EN 1049-2]
Warp21.0/weft15.6
Weight per Unit Area in g/m² [DIN 12127]
440 g/m²
Breaking Force [DIN 13934-1]
warp 2420 N/50 mm
weft 1860 N/50 mm
Water Pressure Resistant [EN 20811]

Double-Sided PVC-Coated Fabric

Used for kitchen tents, exhibition and party tents, groundsheets and tent bags as well as tarpaulins and made-to-order articles. Deliverable single- or multi-coloured or striped coated, mat to glossy, flame-retardant according to national and international standards. Resistant against corrosion, air pollution, UV-rays and bacterial contamination.

Technical Data

1. For standard fabric for all tents (white or striped):

0)
3)
2)
4)
1)

2. For groundsheets, tent bags, ground skirting with anti-fouling protection in grey, both sides glossy finished:

(DIN 60 001)
(DIN 53830)
(DIN 53853)
(DIN 53352)
(DIN 53354)
(DIN 4102 B1)

Information on Tents with Loop Border

approx. 500 mm water column

Tents with loop border are only for stationary tent camps with a certain wooden floor. The ground skirting (25cm width) is provided with loops every 40 cm, which must be fixed to the counterpart (crank) that is attached to the wooden floor.

Connecting Tents

Tents with the same width can stand back to back and be connected. For this at least one tent needs to have a second entrance. A connecting unit will be needed to bridge the gap of approx. 30cm between both tents. This connecting unit must be fixed to both tents.

Cleaning Tent Skins and Tarpaulins.

Tent skins and tarpaulins are only allowed to be cleaned with clear, tepid water. Using chemical cleaning substances, the tent skin lamination will be damaged severely and irreparable. As a result the tarpaulin will leak water.

Washing tent skins in industrial washing machines let them shrink and damages buckles, toggles and tension rings. Because of all this we cannot recommend chemical cleaning or washing.

It is possible to re-laminate the tent skin. One liter of lamination agent is needed for approx. 6 m². Use a clean sponge or brush and apply only on a clean and dry tent skin.

Please always care for your tent. Always, but especially after cleaning or lamination, pack the tent skin only when it is completely dry. Packing it when it is wet or just humid will cause mould that cannot be removed anymore.

Changes which are in favour of technical advance are reserved to LANCO. All given measurements without limit of tolerance are pars with a tolerance of \pm 5%. All data is made of today's state of knowledge for information without legally binding.





RESCATE TOTAL GALLEGA DE SUMINISTROS INTEGRALES S.L.

RESCATE TOTAL GSI

C/Gregorio Espino 60 Entlo. 36205 Vigo-Pontevedra 680 45 12 45 ventas@rescatetotal.es

www.rescatetotal.es

